

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23

**Degradation of Incretins and Modulation of Blood Glucose Levels  
by Periodontopathic Bacterial Dipeptidyl Peptidase 4**

Yuko Ohara-Nemoto,<sup>a, #</sup> Manami Nakasato,<sup>b, c</sup> Yu Shimoyama,<sup>b</sup> Tomomi T. Baba,<sup>a</sup> Takeshi Kobayakawa,<sup>a</sup> Toshio Ono,<sup>a</sup> Takashi Yaegashi,<sup>c</sup> Shigenobu Kimura,<sup>d</sup> and Takayuki K. Nemoto<sup>a</sup>

Department of Oral Molecular Biology, Course of Medical and Dental Sciences, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan<sup>a</sup>; Division of Molecular Microbiology, Iwate Medical University, Yahaba, Iwate, Japan<sup>b</sup>; Division of Periodontology, Iwate Medical University School of Dentistry, Morioka, Iwate, Japan<sup>c</sup>; Department of Oral Hygiene, Kansai Women's College, Kashiwara, Osaka, Japan<sup>d</sup>

**Running title:** Incretin degradation by oral bacterial DPP4

**Address correspondence to:** Yuko Ohara-Nemoto, ynemoto@nagasaki-u.ac.jp

**Keywords:** blood glucose, diabetes mellitus, GIP, GLP-1, incretins, periodontitis, *Porphyromonas gingivalis*, *Prevotella intermedia*, *Tannerella forsythia*



















































































Figure 6

