

参考論文

- 目 次 -

- (1) T. Yanai, H. Tanaka, K. Takahashi, M. Nakano and H. Fukunaga; “Advancement in Fabrication Process of Fe-Cu-Nb-Si-B Thin Sheets with Creep-Induced Anisotropy for Choke Cores.”, *Journal of Magnetism and Magnetic Materials*, **242-245**, pp. 276-278 (2002.4).
- (2) H. Fukunaga, H. Tanaka, T. Yanai, M. Nakano, K. Takahashi, Y. Yoshizawa, K. Ishiyama and K. Arai; “High Performance Nanostructured Cores for Choke Coils Prepared by Using Creep Induced Anisotropy.”, *Journal of Magnetism and Magnetic Materials*, **242-245**, pp. 279-281 (2002.4).
- (3) H. Fukunaga, T. Yanai, H. Tanaka, M. Nakano, K. Takahashi, Y. Yoshizawa, K. Ishiyama and K. I. Arai; “Nanostructured Metallic Cores With Extremely Low Loss and Controlled Permeability.”, *IEEE Transactions on Magnetics*, **38**, pp. 3138-3140 (2002.9) .
- (4) H. Fukunaga, H. Tanaka, T. Yanai, M. Nakano and J. M. Song; “Gapless Fe-based metallic cores with low permeability.”, *Journal of Magnetism and Magnetic Materials*, **254-255**, pp. 519-521 (2003.1).
- (5) T. Yanai, M. Yamasaki, K. Takahashi, M. Nakano, Y. Yoshizawa and H. Fukunaga; “High temperature magnetic properties of Fe-Cu-Nb-Si-B cores with creep-induced anisotropy.”, *IEEE Transactions on Magnetics*, **40**, pp. 2721-2723 (2004.7).
- (6) T. Yanai, H. Tanaka, K. Takahashi, M. Nakano and H. Fukunaga; “Improvement in fabrication process of Fe-Cu-Nb-Si-B thin ribbons with creep-induced anisotropy for choke cores.”, *JSST 2002/Special Issue of Conference Proceedings*, pp. 297-300 (2002.5).
- (7) T. Yanai, H. Tanaka, K. Takahashi, M. Nakano and H. Fukunaga; “Development of nanostructured magnetic cores with low permeability and low magnetic loss for next generation.”, *JSST 2004/Special Issue of Conference Proceedings*, pp. 75-78 (2004.6).

- (8) T. Yanai, M. Yamasaki, K. Takahashi, M. Nakano, H. Fukunaga and Y. Yoshizawa; “Investigation of Development Process of Creep-Induced Anisotropy in Nanocrystalline Fe_{73.5}Cu₁Nb₃Si_{15.5}B₇ Ribbon for Mass Production.”, *SMM 16/Special Issue of Conference Proceedings*, pp. 737-741 (2004.11).
- (9) T. Yanai, T. Ohya, K. Takahashi, M. Nakano and H. Fukunaga; “A new fabrication process of Fe-based ribbon with creep-induced anisotropy.”, *Journal of Magnetism and Magnetic Materials*, (2005), *In Press*.
- (10) M. Hasiak, M. Miglierini, Y. Yamashiro, W. H. Ciurzyńska, T. Yanai and H. Fukunaga; “Microstructure and magnetic properties of nanocrystalline Fe-Zr-TM-B-Cu (TM = Nb or Mn) alloys.”, *Journal of Magnetism and Magnetic Materials*, **254-255**, pp. 457-459 (2003.1).
- (11) M. Ohnuma, K. Hono, T. Yanai, H. Fukunaga and Y. Yoshizawa; “Direct evidence for structural origin of stress-induced magnetic anisotropy Fe-Si-B-Nb-Cu nanocrystalline alloys.”, *Applied Physics Letters*, **83**, pp. 2859-2861 (2003.10).
- (12) M. Ohnuma, K. Hono, T. Yanai, M. Nakano, H. Fukunaga and Y. Yoshizawa; “Origin of the magnetic anisotropy induced by stress annealing in Fe-based nanocrystalline alloys.”, *Applied Physics Letters*, **86**, pp. 1-3 (2005.**).